


Product specification sheet

Technical data sheet

Identification:	nora [®] Test ESD (EN 1815 & ISO 6356)
Material:	EPDM
Delivery form:	sheets
Application area:	Test soling sheet
Properties:	Material for determining the electrostatic chargeability when walking on it
Chemical characterization:	EPDM



Hardness Shore A (ISO 48-4):	approx. 72 Shore A (+/- 5)
Density in g/cm³ (EN ISO 1183-1):	approx. 1,11 g/cm ³ (+/- 0,03)
Format:	approx. 340 x 340 mm
Thickness:	approx. 2,0 mm (+/- 0,3)
Colour:	384 blue
Profile/surface:	smooth
Abrasion (10N) (ISO 4649):	210 mm ³ (+/- 50)
Elongation at break (ISO 37):	600% (+/- 100)
Tensile strength (ISO 37):	7,5 MPa (+2)
Electr. resistance: (EN IEC 61340-4-1)	10 ⁸ - 10 ⁹ Ohm
Quality management:	ISO 9001:2015
Environmental management:	ISO 14001:2015

We reserve production-conditioned colour divergences as well as technical changes which serve the improvement of the products.

Up-to-date: 15.03.2026

nora systems GmbH
EVA solutions
for health and industry
Hoehnerweg 2-4
69469 Weinheim
Germany
www.nora-material.com

Head Office Weinheim
Mannheim Local Court
HRB 703230

Directors:
Robert Heeres
Supervisory Board Chair:
Daniëlle Verschuur